

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office OCT 03 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 2 1991 under 55593

The applicant **Spencer Phungphiphadhana** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **an underground source**
2. The amount of water applied for is **.0062 not to exceeded 4000 gal a day combined** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Commercial & Domestic**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") **see Remarks**
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **located in NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14, T. 19N, R. 27 E., M.D.B & M from a point that bears N 39° 34' 53" W a distance of 1546.36 feet to the West $\frac{1}{4}$ corner of said Section 14.**
6. Place of Use **11.80 acre located in the NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 14, T. 19N., R. 27E., M.D.B. & M.**
7. Use will begin about **January 1**, and end about **December 31** of each year.
8. Description of proposed works **Well, pump, pressure system and distribution system**
9. Estimated cost of works **completed**
10. Estimated time required to construct works **completed**
11. Estimated time required to complete the application of water to beneficial use **completed**

12. Remarks: The applicant has plans on installing a Reverse Osmosis Water Bottling System in the existing building. To accommodate self service & full service retail. Your office is to use the existing maps filed under permit #55593. Also application is to be combined with our existing permit not to exceed 4000 gallon a day.

Spencer Phungphiphadhana
By s/ Spencer Phungphiphadhana
P.O. Box 1113
Sparks, Nevada 89432

Compared mt/gkl dl/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

The total combined duty of water under Permit 55593, Certificate 14466 and Permit 73310 shall not exceed 4.48 acre-feet annually.

The place of use of this permit is limited to Churchill County APN 007-151-52.

Upon cessation of pumping for commercial purposes at this place of use, water under this permit shall return to the source and no application to change or relinquishment will be allowed.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0062 cubic feet per second, not to exceed 4.04 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 2, 2007

Proof of completion of work shall be filed on or before:

June 2, 2007

Water must be placed to beneficial use on or before:

May 2, 2010

Proof of the application of water to beneficial use shall be filed on or before:

June 2, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 2nd day of May, A.D. 2006



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____ N/A _____

Certificate No. _____ Issued _____